SEQUENCE LISTING

(1) GENERAL INFORMATION:

APPLICANTS:

Metz, James G.

Lardizabal, Kathryn D.

Lassner, Michael

TITLE OF INVENTION:

Nucleic Acid Sequences Encoding

a Plant Cytoplasmic Protein Involved in

Fatty Acyl-COA Metabolism

(iii) NUMBER OF SEQUENCES: 39

(iv) CORRESPONDENCE ADDRESS:

(A) ADDRESSEE: Calgene, Inc.

(B) STREET: 1920 Fifth Street

(C) CITY: Davis

(D) STATE: CA

(E) COUNTRY: USA

(F) ZIP: 95616

(v) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: Diskette, 3.50 inch, 1.0 MB

(B) COMPUTER: Apple Macintosh

(C) OPERATING SYSTEM: Macintosh 7.0

(D) SOFTWARE: Microsoft Word 5.1a

(vi) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: PCT/US94/13686

(B) FILING DATE: 30-NOV-94

(C) CLASSIFICATION:

(vii) CURRENT APPLICATION DATA:

(A) APPLICATION NUMBER:

(B) FILING DATE:

(C) CLASSIFICATION:

- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: 08/265,047
 - (B) FILING DATE: 23-JUN-94
 - (C) CLASSIFICATION:
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: 08/160,602
 - (B) FILING DATE: 30-NOV-93
 - (C) CLASSIFICATION:
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: 08/066,299
 - (B) FILING DATE: 20-MAY-93
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: PCT/US92/09863
 - (B) FILING DATE: 13-NOV-92
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: 07/933,411
 - (B) FILING DATE: 21-AUG-92
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: 07/796,256
 - (B) FILING DATE: 20-NOV-91
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Donna E. Scherer
 - (B) REGISTRATION NUMBER: 34,719
 - (A) NAME: Carl J. Schwedler
 - (B) REGISTRATION NUMBER: 36,924
 - (C) REFERENCE/DOCKET NUMBER: CGNE 101-2 US
- (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: (916) 753-6313
 - (B) TELEFAX: (916) 753-1510

(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 1786 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA to mRNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:	
AAATCCTCCA CTCATACACT CCACTTCTCT CTCTCTCT	60
GTAGCAAACT TAAAAGAAA ATG GAG GAA ATG GGA AGC ATT TTA GAG TTT CTT Met Glu Glu Met Gly Ser Ile Leu Glu Phe Leu 1 5 10	112
GAT AAC AAA GCC ATT TTG GTC ACT GGT GCT ACT GGC TCC TTA GCA AAA Asp Asn Lys Ala Ile Leu Val Thr Gly Ala Thr Gly Ser Leu Ala Lys 15 20 25	160
ATT TTT GTG GAG AAG GTA CTG AGG AGT CAA CCG AAT GTG AAG AAA CTC Ile Phe Val Glu Lys Val Leu Arg Ser Gln Pro Asn Val Lys Lys Leu 30 35	208
TAT CTT CTT TTG AGA GCA ACC GAT GAC GAG ACA GCT GCT CTA CGC TTG Tyr Leu Leu Arg Ala Thr Asp Asp Glu Thr Ala Ala Leu Arg Leu 45 50 55	256
CAA AAT GAG GTT TTT GGA AAA GAG TTG TTC AAA GTT CTG AAA CAA AAT Gln Asn Glu Val Phe Gly Lys Glu Leu Phe Lys Val Leu Lys Gln Asn 60 65 70 75	304
TTA GGT GCA AAT TTC TAT TCC TTT GTA TCA GAA AAA GTG ACT GTA GTA Leu Gly Ala Asn Phe Tyr Ser Phe Val Ser Glu Lys Val Thr Val Val 80 85 90	352
CCC GGT GAT ATT ACT GGT GAA GAC TTG TGT CTC AAA GAC GTC AAT TTG Pro Gly Asp Ile Thr Gly Glu Asp Leu Cys Leu Lys Asp Val Asn Leu 95 100 105	400
AAG GAA GAA ATG TGG AGG GAA ATC GAT GTT GTT GTC AAT CTA GCT GCT Lys Glu Glu Met Trp Arg Glu Ile Asp Val Val Val Asn Leu Ala Ala 110 115 120	448

(2) INFORMATION FOR SEQ ID NO: : 1

ACA Thr	ATC Ile 125	AAC Asn	TTC Phe	ATT Ile	GAA Glu	AGG Arg 130	TAC Tyr	GAC Asp	GTG Val	TCT Ser	CTG Leu 135	CTT Leu	ATC Ile	AAC Asn	ACA Thr	496
TAT Tyr 140	GGA Gly	GCC Ala	AAG Lys	TAT Tyr	GTT Val 145	TTG Leu	GAC Asp	TTC Phe	GCG Ala	AAG Lys 150	AAG Lys	TGC Cys	AAC Asn	AAA Lys	TTA Leu 155	544
											TCT Ser					592
GGG Gly	TTA Leu	ATA Ile	CTG Leu 175	GAG Glu	AAG Lys	CCT Pro	TAT Tyr	TAT Tyr 180	ATG Met	GGC Gly	GAG Glu	TCA Ser	CTT Leu 185	AAT Asn	GGA Gly	640
AGA Arg	TTA Leu	GGT Gly 190	CTG Leu	GAC Asp	ATT Ile	AAT Asn	GTA Val 195	GAG Glu	AAG Lys	AAA Lys	CTT Leu	GTG Val 200	GAG Glu	GCA Ala	AAA Lys	688
ATC Ile	AAT Asn 205	GAA Glu	CTT Leu	CAA Gln	GCA Ala	GCG Ala 210	GGG Gly	GCA Ala	ACG Thr	GAA Glu	AAG Lys 215	TCC Ser	ATT Ile	AAA Lys	TCG Ser	736
											CAC His					784
AAT Asn	GTG Val	TAT Tyr	GTA Val	TTC Phe 240	ACC Thr	AAG Lys	GCA Ala	TTA Leu	GGG Gly 245	GAG Glu	ATG Met	CTT Leu	TTG Leu	ATG Met 250	CAA Gln	832
TAC Tyr	AAA Lys	GGG Gly	GAC Asp 255	ATT Ile	CCG Pro	CTT Leu	ACT Thr	ATT Ile 260	ATT Ile	CGT Arg	CCC Pro	ACC Thr	ATC Ile 265	ATC Ile	ACC Thr	880
AGC Ser	ACT Thr	TTT Phe 270	AAA Lys	GAG Glu	CCC Pro	TTT Phe	CCT Pro 275	GGT Gly	TGG Trp	GTT Val	GAA Glu	GGT Gly 280	GTC Val	AGG Arg	ACC Thr	928
											AGA Arg 295					976

TGC Cys				Leu				1024
AAT Asn								1072
GAG Glu								1120
CTG Leu								1168
TGG Trp 365								1216
TTC Phe								1264
CTT Leu								1312
TTC Phe								1360
CGT Arg								1408
GAT Asp 445								1456
GTT Val				-			_	 1504

GAA GAT TAC TTC TTG AAA ACT CAT TTC CCA GGN GTC GTA GAG CAC GTT 15 Glu Asp Tyr Phe Leu Lys Thr His Phe Pro Gly Val Val Glu His Val 480 485 490	552
CTT AAC TAAAAGTTAC GGTACGAAAA TGAGAAGATT GGAATGCATG CACCGAAAGN 16 Leu Asn	608
NCAACATAAA AGACGTGGTT AAAGTCATGG TCAAAAAAGA AATAAAATGC AGTTAGGTTT 16	668
GTGTTGCAGT TTTGATTCCT TGTATTGTTA CTTGTACTTT TGATCTTTTT CTTTTTAAT 17	728
GAAATTTCTC TCTTTGTTTT GTGAAAAAAA AAAAAAAAA GAGCTCCTGC AGAAGCTT 17	786
(2) INFORMATION FOR SEQ ID NO: 2:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 1733 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA to mRNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:	
(XI) SEQUENCE DESCRIPTION: SEQ ID NO:2:	
GGAACTCCAT CCCTTCCTCC CTCACTCCTC TCTCTACA ATG AAG GCC AAA ACA ATC Met Lys Ala Lys Thr Ile 1 5	56
ACA AAC CCG GAG ATC CAA GTC TCC ACG ACC ATG ACC ACC ACG ACC ACG Thr Asn Pro Glu Ile Gln Val Ser Thr Thr Met Thr Thr Thr Thr Thr 10 15 20	104
ACT ATG ACC GCC ACT CTC CCC AAC TTC AAG TCC TCC ATC AAC TTA CAC Thr Met Thr Ala Thr Leu Pro Asn Phe Lys Ser Ser Ile Asn Leu His 25 30 35	152
CAC GTC AAG CTC GGC TAC CAC TAC TTA ATC TCC AAT GCC CTC TTC CTC His Val Lys Leu Gly Tyr His Tyr Leu Ile Ser Asn Ala Leu Phe Leu 40 45 50	200

					CAT His			248
					CTT Leu			296
					TTA Leu			344
					GTG Val			392
					GAG Glu 130			440
					AAT Asn			488
					GAA Glu			536
					ATA Ile			584
					GAC Asp			632
					CTG Leu 210			680
					ATG Met			728

						ATA Ile										776
						TCC Ser										824
						TAT Tyr										872
						GGC Gly 285										920
						GGC Gly										968
						AAG Lys										1016
						AAG Lys									GAA Glu	1064
						GGT Gly									GCA Ala	1112
GTT Val	GCC Ala 360	GGT Gly	GAA Glu	GCC Ala	CTA Leu	AAG Lys 365	GCC Ala	AAC Asn	ATC Ile	ACG Thr	ACC Thr 370	CTT Leu	GGT Gly	CCC Pro	CTC Leu	1160
						CAA Gln										1208
						ACG Thr									TTC Phe	1256

AAG Lys	TTG Leu	GCA Ala	GCG Ala 410	AAC Asn	GAC Asp	TTC Phe	TGC Cys	ATC Ile 415	CAT His	GCA Ala	GGA Gly	GGC Gly	AAA Lys 420	GCA Ala	GTG Val	1304
TTG Leu	GAT Asp	GAG Glu 425	CTC Leu	GAG Glu	AAG Lys	AAC Asn	TTG Leu 430	GAG Glu	TTG Leu	ACG Thr	CCA Pro	TGG Trp 435	CAC His	CTT Leu	GAA Glu	1352
CCC Pro	TCG Ser 440	AGG Arg	ATG Met	ACA Thr	CTG Leu	TAT Tyr 445	AGG Arg	TTT Phe	GGG Gly	AAC Asn	ACA Thr 450	TCG Ser	AGT Ser	AGC Ser	TCA Ser	1400
TTA Leu 455	TGG Trp	TAC Tyr	GAG Glu	TTG Leu	GCA Ala 460	TAC Tyr	GCT Ala	GAA Glu	GCA Ala	AAA Lys 465	GGG Gly	AGG Arg	ATC Ile	CGT Arg	AAG Lys 470	1448
GGT Gly	GAT Asp	CGA Arg	ACT Thr	TGG Trp 475	ATG Met	ATT Ile	GGA Gly	TTT Phe	GGT Gly 480	TCA Ser	GGT Gly	TTC Phe	AAG Lys	TGT Cys 485	AAC Asn	1496
AGT Ser	GTT Val	GTG Val	TGG Trp 490	AGG Arg	GCT Ala	TTG Leu	AGG Arg	AGT Ser 495	GTC Val	AAT Asn	CCG Pro	GCT Ala	AGA Arg 500	GAG Glu	AAG Lys	1544
AAT Asn	CCT Pro	TGG Trp 505	ATG Met	GAT Asp	GAA Glu	ATT Ile	GAG Glu 510	AAG Lys	TTC Phe	CCT Pro	GTC Val	CAT His 515	GTG Val	CCT Pro	AAA Lys	1592
				GCT Ala	TCG Ser	TAG	AACT	GCT A	AGGA'	rgtgz	АТ Т	AGTA	ATGAZ	A		1640
AAA'	rgtg'	rat :	TATGʻ	TTAGʻ	TG A	IGTA(GAAA	A AG	AAAC'	TTTA	GTT	GATG(GGT (GAGA	ACATGT	1700

1733

(2) INFORMATION FOR SEQ ID NO:3:

CTCATTGAGA ATAACGTGTG CATCGTTGTG TTG

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1783 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(xi)	SEOUENCE	DESCRIPTION:	SEQ	ID	NO:3	:
------	----------	--------------	-----	----	------	---

GTCGACACA ATG AAG GCC AAA ACA ATC ACA AAC CCG GAG ATC CAA GTC TCC 51 Met Lys Ala Lys Thr Ile Thr Asn Pro Glu Ile Gln Val Ser 1 5 10													
ACG ACC ATG Thr Thr Met 15													
TCC TCC ATC Ser Ser Ile													
TCC AAT GCC Ser Asn Ala													
GCC CAC CTC Ala His Leu 65													
CTC CTT CGC Leu Leu Arg 80				s Ser Phe									
GTT TTA TTA Val Leu Leu 95		His Phe Le											
TTG GTG GAC Leu Val Asp													
CAC GAG ATG His Glu Met			r Arg Ala Gl										
GAG AAT ATT Glu Asn Ile 145													

CGG Arg	GAA Glu 160	ACC Thr	TAC Tyr	GTC Val	CCC Pro	GAA Glu 165	TCC Ser	GTC Val	ACT Thr	AAG Lys	GTG Val 170	CCG Pro	CCC Pro	GAG Glu	CCG Pro	531
												ATG Met				579
												AAG Lys				627
												CCG Pro				675
TCC Ser	ATG Met	ATA Ile 225	GTT Val	AAC Asn	CAT His	TAC Tyr	AAG Lys 230	CTT Leu	AGG Arg	GGT Gly	AAT Asn	ATA Ile 235	CTT Leu	AGC Ser	TAT Tyr	723
												TCC Ser				771
GCC Ala 255	AAG Lys	GAC Asp	CTC Leu	CTA Leu	CAG Gln 260	GTT Val	TAC Tyr	CGT Arg	AAC Asn	ACA Thr 265	TAT Tyr	GTG Val	TTA Leu	GTA Val	GTG Val 270	819
												AAT Asn				867
ATG Met	CTT Leu	ATC Ile	ACC Thr 290	AAC Asn	TGC Cys	CTA Leu	TTT Phe	CGC Arg 295	ATG Met	GGT Gly	GGC Gly	GCT Ala	GCC Ala 300	ATC Ile	ATC Ile	915
CTC Leu	TCA Ser	AAC Asn 305	CGC Arg	TGG Trp	CGT Arg	GAT Asp	CGT Arg 310	CGC Arg	CGA Arg	TCC Ser	AAG Lys	TAC Tyr 315	CAA Gln	CTC Leu	CTT Leu	963
CAC His	ACA Thr 320	GTA Val	CGC Arg	ACC Thr	CAC His	AAG Lys 325	GGC Gly	GCT Ala	GAC Asp	GAC Asp	AAG Lys 330	TCC Ser	TAT Tyr	AGA Arg	TGC Cys	1011

GTC Val 335	Leu	CAA Gln	CAA Gln	GAA Glu	GAT Asp 340	GAA Glu	AAT Asn	AAC Asn	AAG Lys	GTA Val 345	Gly	GTT Val	GCC Ala	TTA Leu	TCC Ser 350	1059
AAG Lys	GAT Asp	CTG Leu	ATG Met	GCA Ala 355	GTT Val	GCC Ala	GGT Gly	GAA Glu	GCC Ala 360	Leu	AAG Lys	GCC Ala	AAC Asn	ATC Ile 365	ACG Thr	1107
ACC Thr	CTT Leu	GGT Gly	CCC Pro 370	CTC Leu	GTG Val	CTC Leu	CCC Pro	ATG Met 375	TCA Ser	GAA Glu	CAA Gln	CTC Leu	CTC Leu 380	TTC Phe	TTT Phe	1155
GCC Ala	ACC Thr	TTA Leu 385	GTG Val	GCA Ala	CGT Arg	AAG Lys	GTC Val 390	TTC Phe	AAG Lys	ATG Met	ACG Thr	AAC Asn 395	GTG Val	AAG Lys	CCA Pro	1203
TAC Tyr	ATC Ile 400	CCA Pro	GAT Asp	TTC Phe	AAG Lys	TTG Leu 405	GCA Ala	GCG Ala	AAG Lys	CAC His	TTC Phe 410	TGC Cys	ATC Ile	CAT His	GCA Ala	1251
GGA Gly 415	GGC Gly	AAA Lys	GCA Ala	GTG Val	TTG Leu 420	GAT Asp	GAG Glu	CTC Leu	GAG Glu	ACG Thr 425	AAC Asn	TTG Leu	GAG Glu	TTG Leu	ACG Thr 430	1299
CCA Pro	TGG Trp	CAC His	CTT Leu	GAA Glu 435	CCC Pro	TCG Ser	AGG Arg	ATG Met	ACA Thr 440	CTG Leu	TAT Tyr	AGG Arg	TTT Phe	GGG Gly 445	AAC Asn	1347
ACA Thr	TCG Ser	AGT Ser	AGC Ser 450	TCA Ser	TTA Leu	TGG Trp	TAC Tyr	GAG Glu 455	TTG Leu	GCA Ala	TAC Tyr	GCT Ala	GAA Glu 460	GCA Ala	AAA Lys	1395
GGG Gly	AGG Arg	ATC Ile 465	CGT Arg	AAG Lys	GGT Gly	GAT Asp	CGA Arg 470	ACT Thr	TGG Trp	ATG Met	ATT Ile	GGA Gly 475	TTT Phe	GGT Gly	TCA Ser	1443
GGT Gly	TTC Phe 480	AAG Lys	TGT Cys	AAC Asn	AGT Ser	GTT Val 485	GTG Val	TGG Trp	AGG Arg	GCT Ala	TTG Leu 490	AGG Arg	AGT Ser	GTC Val	AAT Asn	1491
CCG Pro 495	GCT Ala	AGA Arg	GAG Glu	AAG Lys	AAT Asn 500	CCT Pro	TGG Trp	ATG Met	GAT Asp	GAA Glu 505	ATT Ile	GAG Glu	AAT Asn	TTC Phe	CCT Pro 510	1539

GTC CAT GTG CCT AAA ATC GCA CCT ATC GCT TCG TAGAACTGCT AGGATGTGAT 1592 Val His Val Pro Lys Ile Ala Pro Ile Ala Ser 515

TAGTAATGAA AAATGTGTAT TATGTTAGTG ATGTAGAAAA AGAAACTTTA GTTGATGGGT 1652 GAGAACATGT CTCATTGAGA ATAACGTGTG CATCGTTGTG TTGAATTTGA ATTTGAGTAT 1712 TGGTGAAATT CTGTTAGAAT TGACGCATGA GTCATATATA TACAAATTTA AGTAAGATTT 1772 TACGCTTTCT T 1783

- (2) INFORMATION FOR SEQ ID NO: 4:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1647 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

- DESCRIPTION: PCR to genomic DNA
- GGCGCGCCGG TACCTCTAGA CCTGGCGATT CAACGTGGTC GGATCATGAC GCTTCCAGAA 60 AACATCGAGC AAGCTCTCAA AGCTGACCTC TTTCGGATCG TACTGAACCC GAACAATCTC 120 GTTATGTCCC GTCGTCTCCG AACAGACATC CTCGTAGCTC GGATTATCGA CGAATCCATG 180 GCTATACCCA ACCTCCGTCT TCGTCACGCC TGGAACCCTC TGGTACGCCA ATTCCGCTCC 24(CCAGAAGCAA CCGGCGCGA ATTGCGCGAA TTGCTGACCT GGAGACGGAA CATCGTCGTC 300 GGGTCCTTGC GCGATTGCGG CGGAAGCCGG GTCGGGTTGG GGACGAGACC CGAATCCGAG 360 CCTGGTGAAG AGGTTGTTCA TCGGAGATTT ATAGACGGAG ATGGATCGAG CGGTTTTGGG

420

480

540

GAAAGGGGAA GTGGGTTTGG CTCTTTTGGA TAGAGAGAGT GCAGCTTTGG AGAGAGACTG

GAGAGGTTTA GAGAGAGACG CGGCGGATAT TACCGGAGGA GAGGCGACGA GAGATAGCAT

TATCGAAGGG GAGGGAAAA GAGTGACGTG GAGAAATAAG AAACCGTTAA GAGTCGGATA 600 TTTATCATAT TAAAAGCCCA ATGGGCCTGA ACCCATTTAA ACAAGACAGA TAAATGGGCC 660 GTGTGTTAAG TTAACAGAGT GTTAACGTTC GGTTTCAAAT GCCAACGCCA TAGGAACAAA 720 ACAAACGTGT CCTCAAGTAA ACCCCTGCCG TTTACACCTC AATGGCTGCA TGGTGAAGCC 780 ATTAACACGT GGCGTAGGAT GCATGACGAC GCCATTGACA CCTGACTCTC TTCCCTTCTC 840 TTCATATATC TCTAATCAAT TCAACTACTC ATTGTCATAG CTATTCGGAA AATACATACA 900 CATCCTTTTC TCTTCGATCT CTCTCAATTC ACAAGAAGCA AAGTCGACGG ATCCCTGCAG 960 TAAATTACGC CATGACTATT TTCATAGTCC AATAAGGCTG ATGTCGGGAG TCCAGTTTAT 1020 GAGCAATAAG GTGTTTAGAA TTTGATCAAT GTTTATAATA AAAGGGGGAA GATGATATCA 1080 CAGTCTTTTG TTCTTTTTGG CTTTTGTTAA ATTTGTGTGT TTCTATTTGT AAACCTCCTG 1140 TATATGTTGT ACTTCTTTCC CTTTTTAAGT GGTATCGTCT ATATGGTAAA ACGTTATGTT 1200 TGGTCTTTCC TTTTCTCTGT TTAGGATAAA AAGACTGCAT GTTTTATCTT TAGTTATATT 1260 ATGTTGAGTA AATGAACTTT CATAGATCTG GTTCCGTAGA GTAGACTAGC AGCCGAGCTG 1320 AGCTGAACTG AACAGCTGGC AATGTGAACA CTGGATGCAA GATCAGATGT GAAGATCTCT 1380 AATATGGTGG TGGGATTGAA CATATCGTGT CTATATTTTT GTTGGCATTA AGCTCTTAAC 144(ATAGATATAA CTGATGCAGT CATTGGTTCA TACACATATA TAGTAAGGAA TTACAATGGC 1500 AACCCAAACT TCAAAAACAG TAGGCCACCT GAATTGCCTT ATCGAATAAG AGTTTGTTTC 156C

CCCCCACTTC ATGGGATGTA ATACATGGGA TTTGGGAGTT TGAATGAACG TTGAGACATG 1620 GCAGAACCTC TAGAGGTACC GGCGCGC 1647

- (2) INFORMATION FOR SEQ ID NO: 5:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 11 residues
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- - (2) INFORMATION FOR SEQ ID NO: 6:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10 residues
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

 Val Pro Xaa Glu Pro Ser Ile Ala Ala Xaa
 5 10
- (2) INFORMATION FOR SEQ ID NO: 7:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10 residues
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

 Glu Thr Tyr Val Pro Glu Glu Val Thr Lys
 5 10
 - (2) INFORMATION FOR SEQ ID NO: 8:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 11 residues
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Asp Leu Met Ala Val Ala Gly Glu Ala Leu Lys 5 10

- (2) INFORMATION FOR SEQ ID NO: 9:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 11 residues
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

 Met Thr Asn Val Lys Pro Tyr Ile Pro Asp Phe
 5 10
 - (2) INFORMATION FOR SEQ ID NO: 10:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 11 residues
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

 Phe Leu Pro Xaa Xaa Val Ala Ile Thr Gly Glu
 5 10
 - (2) INFORMATION FOR SEQ ID NO: 11:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 17 residues
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

Phe Gly Asn Thr Ser Ser Xaa Xaa Leu Tyr Xaa Glu Leu Ala Tyr Ala 5 10 15

- (2) INFORMATION FOR SEQ ID NO: 12:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 17 residues
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

Ala Glu Ala Glu Glu Val Met Tyr Gly Ala Ile Asp Glu Val Leu Glu
5 10 15
Lys

- (2) INFORMATION FOR SEQ ID NO: 13:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 23 residues
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

Xaa Asp Ile Ala Ile Ile Gly Ser Gly Ser Ala Gly Leu Ala Gln Ala 5 10 15

Xaa Ile Leu Lys Asp Ala Gly 20

- (2) INFORMATION FOR SEQ ID NO: 14:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 13 residues
 - (B) TYPE: amino acids
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

Gln Gln Phe Thr Val Trp Xaa Asn Ala Ser Glu Pro Ser 5 10

- (2) INFORMATION FOR SEQ ID NO: 15:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 17 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: other
 - (A) synthetic oligonucleotide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

AAYATHACNA CNYTNGG

17

(i)	SEÇ	QUEN	CE C	HARA	CTER:	ISTI	CS:							
	(A)) LE	NGTH	: 1	7 ba	se p	airs							
	(B)) TY	PE:	:	nucl	eic	acid							
	(C)	ST	RAND	EDNE	SS:	si	ingle	e						
	(D)) TO	POLO	GY:	1i:	near								
(ii	.) MC	DLEC	ULE '	TYPE	: ot]	her								
	(A)) s	ynth	etic	oli	gonu	cleo	tide	:					
(xi	.) SI	EQUEI	NCE 1	DESC	RIPT	ION:	SEQ	ID I	NO:1	6 :				
SWR	TTRO	CAYT	TRA	ANCC										17
(2)	INFO	ORMA'	TION	FOR	SEQ	ID 1	.10:	17:						
(i)	SEÇ	QUEN	CE CI	HARA	CTER:	ISTI	CS:							
	(A)) LE	NGTH	: 1	810	base	pai	rs						
	(B)	TY:	PE:		nuc	cleic	aci	.đ				•		
	(C)	ST	RANDI	EDNE	SS:	si	ngle	€						
	(D)	TOI	POLO	GY:		1 <i>i</i>	near	:						
(ii	.) MC	LECU	ULE :	TYPE	: (CDNA	to 1	nRNA						
(xi) SE	EQUEI	NCE I	DESCI	RIPT:	ION:	SEQ	ID 1	NO:1'	7:				
GAA						GAA Glu								48
AAC Asn														96
TCG Ser														144

(2) INFORMATION FOR SEQ ID NO: 16:

TTG Leu	AAG Lys	TAC Tyr 50	GTG Val	AAA Lys	CTT Leu	GGT Gly	TAT Tyr 55	CAC His	TAC Tyr	CTC Leu	ATA Ile	AAC Asn 60	CAT His	GCG Ala	GTT Val	192
TAC Tyr	TTG Leu 65	GCG Ala	ACG Thr	ATA Ile	CCG Pro	GTT Val 70	CTT Leu	GTG Val	CTT Leu	GTG Val	TTT Phe 75	AGT Ser	GCC Ala	GAA Glu	GTT Val	240
GGG Gly 80	AGT Ser	TTA Leu	AGC Ser	GGA Gly	GAA Glu 85	GAG Glu	ATT Ile	TGG Trp	AAG Lys	AAG Lys 90	CTT Leu	TGG Trp	GAC Asp	TAT Tyr	GAT Asp 95	288
ATC Ile	GCA Ala	ACC Thr	GTC Val	ATC Ile 100	GGA Gly	TTC Phe	TTC Phe	GGT Gly	GTC Val 105	TTT Phe	GTC Val	TTG Leu	ACC Thr	GTT Val 110	TGC Cys	336
GTC Val	TAC Tyr	TTC Phe	ATG Met 115	TCT Ser	CGT Arg	CCA Pro	CGA Arg	TCT Ser 120	GTT Val	TAT Tyr	CTC Leu	ATT Ile	GAC Asp 125	TTC Phe	GCT Ala	384
TGT Cys	TTC Phe	AAG Lys 130	CCT Pro	TCC Ser	GAT Asp	GAA Glu	CTT Leu 135	AAG Lys	GTG Val	ACA Thr	AGA Arg	GAA Glu 140	Glu	TTC Phe	ATA Ile	432
GAT Asp	CTA Leu 145	GCT Ala	AGA Arg	AAA Lys	TCA Ser	GGC Gly 150	AAG Lys	TTC Phe	GAC Asp	GAA Glu	GAG Glu 155	ATC Ile	CTC Leu	GGA Gly	TTC Phe	480
						GCC Ala										528
						TCG Ser										576
CGT Arg	GAA Glu	GAA Glu	GCC Ala 195	TCG Ser	ATG Met	ATG Met	ATA Ile	TTC Phe 200	GGC Gly	GCA Ala	CTC Leu	GAC Asp	GAA Glu 205	CTC Leu	TTC Phe	624
GAG Glu	AAG Lys	ACA Thr 210	CGT Arg	GTC Val	AAA Lys	CCG Pro	AAA Lys 215	GAC Asp	GTA Val	GGT Gly	GTC Val	CTC Leu 220	GTG Val	GTT Val	AAC Asn	672

				TCA Ser				AAC Asn	720
				CTT Leu					768
				GTT Val					816
				GTG Val 280					864
				GAC Asp					912
				GCC Ala					960
				CGC Arg					1008
				TTC Phe					1056
				AAA Lys 360	Ile				1104
				AAC Asn					1152
				CTC Leu					1200

AGA Arg 400	Thr	TTC Phe	TCA Ser	CCC Pro	GCC Ala 405	GCC Ala	AAA Lys	ACT Thr	ACC Thr	ACC Thr 410	ACC Thr	TCC Ser	TCC Ser	TCA Ser	GCC Ala 415	1248
ACT Thr	GCG Ala	AAA Lys	ATC Ile	AAC Asn 420	GGA Gly	GCC Ala	AAG Lys	TCG Ser	TCA Ser 425	TCC Ser	TCC Ser	TCT Ser	GAT Asp	CTA Leu 430	TCC Ser	1296
											GAG Glu					1344
CAC His	GCG Ala	GCA Ala 450	AGC Ser	AAA Lys	GCG Ala	GTG Val	CTT Leu 455	GAG Glu	GAG Glu	CTT Leu	CAG Gln	AAG Lys 460	AAT Asn	CTA Leu	GGC Gly	1392
TTG Leu	AGT Ser 465	GAT Asp	GAG Glu	AAC Asn	ATG Met	GAG Glu 470	GCT Ala	TCT Ser	AAG Lys	ATG Met	ACT Thr 475	TTA Leu	CAC His	AGG Arg	TTT Phe	1440
GGA Gly 480	AAC Asn	ACT Thr	TCC Ser	AGC Ser	AGT Ser 485	GGA Gly	ATC Ile	TGG Trp	TAC Tyr	GAG Glu 490	CTT Leu	GCT Ala	TAC Tyr	ATG Met	GAG Glu 495	1488
GCC Ala	AAG Lys	GAG Glu	AGT Ser	GTT Val 500	CGT Arg	AGA Arg	GGC Gly	GAT Asp	AGG Arg 505	GTT Val	TGG Trp	CAG Gln	ATT Ile	GCT Ala 510	TTT Phe	1536
GGG Gly	TCA Ser	GGT Gly	TTT Phe 515	AAG Lys	TGT Cys	AAC Asn	AGT Ser	GTG Val 520	GTT Val	TGG Trp	AAG Lys	GCA Ala	ATG Met 525	AGG Arg	AAG Lys	1584
GTG Val	AAG Lys	AAG Lys 530	CCG Pro	GCA Ala	AGG Arg	AAC Asn	AAT Asn 535	CCT Pro	TGG Trp	GTT Val	GAT Asp	TGC Cys 540	ATT Ile	AAC Asn	CGT Arg	1632
TAC Tyr	CCT Pro 545	GTC Val	GCT Ala	CTC Leu	TGAT	'CATT	TA T	TTTT	'AAAA	AT TA	ттат	TTCT	' TCT	'TAAT	TAA	1687
ATCA	TCTA	TG A	TCTC	TCTT	C CT	TGTT	GTTG	GAT	GATA	GAC	GTTT	GTTT	GC I	GGTC	ATTCG	1747
TATO	TTAA	GA C	TTCT	ATAA	G AA	TGGA	TGGT	TCA	AGTC	CAA	AAAA	AAAA	AA A	AAAA	AAAAA	1807
AAA																1810 .

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1442 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA to mRNA (xi) SEQUENCE DESCRIPTION: SEQ ID NO:18: GTCGACAAA ATG ACG TCC ATT AAC GTA AAG CTC CTT TAC CAT TAC GTC ATA Met Thr Ser Ile Asn Val Lys Leu Leu Tyr His Tyr Val Ile 1 10 ACC AAC CTT TTC AAC CTT TGT TTC TTT CCA TTA ACG GCG ATC GTC GCC 99 Thr Asn Leu Phe Asn Leu Cys Phe Phe Pro Leu Thr Ala Ile Val Ala 20 GGA AAA GCC TAT CGG CTT ACC ATA GAC GAT CTT CAC CAC TTA TAC TAT 147 Gly Lys Ala Tyr Arg Leu Thr Ile Asp Asp Leu His His Leu Tyr Tyr TCC TAT CTC CAA CAC AAC CTC ATA ACC ATT GCT CCA CTC TTT GCC TTC 195 Ser Tyr Leu Gln His Asn Leu Ile Thr Ile Ala Pro Leu Phe Ala Phe 50 55 60 ACC GTT TTC GGT TCG GTT CTC TAC ATC GCA ACC CGG CCC AAA CCG GTT 243 Thr Val Phe Gly Ser Val Leu Tyr Ile Ala Thr Arg Pro Lys Pro Val 65 TAC CTC GTT GAG TAC TCA TGC TAC CTT CCA CCA ACG CAT TGT AGA TCA 291 Tyr Leu Val Glu Tyr Ser Cys Tyr Leu Pro Pro Thr His Cys Arg Ser 85 AGT ATC TCC AAG GTC ATG GAT ATC TTT TAC CAA GTA AGA AAA GCT GAT 339 Ser Ile Ser Lys Val Met Asp Ile Phe Tyr Gln Val Arg Lys Ala Asp 95 110

(2) INFORMATION FOR SEQ ID NO: 18:

		ACG Thr						387
		CGT Arg					 	435
		GTC Val					 	483
		GTT Val						531
		CCT Pro 180						579
		ACT Thr						627
		AAC Asn						675
		ATA Ile						723
		TAT Tyr						771
		GGT Gly 260						819
		GGG Gly						867

							ACG Thr		915
							GAC Asp		963
							GAT Asp		1011
							TTG Leu		1059
							GGC Gly 365		1107
							TTC Phe	AAG Lys	1155
						Ala	GTG Val		1203
							GAG Glu	GCA Ala	1251
							TCA Ser		1299
							AAA Lys 445		1347
							AAC Asn		1395

(2)	INF	ORMA	TION	FOR	SEQ	ID 1	NO:	19:								
(i) SE	QUEN	CE C	HARA	CTER:	ISTI	CS:									
•	(A) LE	NGTH	: 14	42	base	pai	rs								
	(B) TY	PE:		nuc	cleic	aci	.d								
	(C) ST	RAND	EDNE:	SS:	si	ngle)								
	(D) TO:	POLO	GY:		1i	near	:								
(i	i) M	OLEC	ULE '	TYPE	: (CDNA	to 1	mRNA								
(NOTE 1	DEGG	D T DM:	TONT.	ano.	TD 1	VIO 1	0						
(X	1) 51	FQUEI	NCE 1	DESC	KIPT.	LON:	SEQ	ו עד	NO: T	9:						
GTC	GACA	Me				le As						yr H			TC ATA al Ile	51
		•	1			•)				Τ,	J				
			TTC Phe													99
CCA	73 73 73	aaa	TAT	ccc	C C C C C C C C C C C C C C C C C C C	አረርር	7 (T) 7	C D C	C n m	C/IIII	C A C		mm 3	ma c	m > m	1 477
			Tyr													147
ጥሮሮ	ጥልጥ	ርጥር	CAA	CAC	AAC	ሮሞሮ	ΔͲΔ	ACC	ልጥሮ	ርርጥ	$CC\Delta$	CTC	ար ս	CCC	ጥጥር	195
			Gln 50													193
			GGT													243
Thr	Val	Phe 65	Gly	Ser	Val	Leu	Tyr 70	Ile	Ala	Thr	Arg	Pro 75	Lys	Pro	Val	
TAC Tyr	CTC Leu	GTT Val	GAG Glu	TAC Tyr	TCA Ser	TGC Cvs	TAC Tvr	CTT Leu	CCA Pro	CCA Pro	ACG Thr	CAT His	TGT Cvs	AGA Ara	TCA Ser	291
-	80		- 	4 -		85	- 2				90		-1-2	3		

GCA GTT TGG GTG GCT CTA AAC AAT GTC AAA GCT TCC AAA TAGGATCC Ala Val Trp Val Ala Leu Asn Asn Val Lys Ala Ser Lys 465 470 475

												AGA Arg				339
												CTT Leu				387
												ACT Thr				435
												GCG Ala 155				483
												AAT Asn				531
												GTG Val				579
												GTC Val				627
												GGT Gly				675
												GAC Asp 235				723
GTC Val	CAT His 240	AAA Lys	AAT Asn	ACG Thr	TAT Tyr	GCT Ala 245	CTT Leu	GTG Val	GTG Val	AGC Ser	ACA Thr 250	GAG Glu	AAC Asn	ATC Ile	ACT Thr	771
												GTT Val				819

TTG Leu	TTC Phe	CGT Arg	GTT Val	GGT Gly 275	GGG Gly	GCC Ala	GCT Ala	ATT Ile	TTG Leu 280	CTC Leu	TCC Ser	AAC Asn	AAG Lys	CCT Pro 285	GGA Gly	867
GAT Asp	CGT Arg	AGA Arg	CGG Arg 290	TCC Ser	AAG Lys	TAC Tyr	GAG Glu	CTA Leu 295	GTT Val	CAC His	ACG Thr	GTT Val	CGA Arg 300	ACG Thr	CAT His	915
ACC Thr	GGA Gly	GCT Ala 305	GAC Asp	GAC Asp	AAG Lys	TCT Ser	TTT Phe 310	CGT Arg	TGC Cys	GTG Val	CAA Gln	CAA Gln 315	GGA Gly	GAC Asp	GAT Asp	963
GAG Glu	AAC Asn 320	GGC Gly	AAA Lys	ATC Ile	GGA Gly	GTG Val 325	AGT Ser	TTG Leu	TCC Ser	AAG Lys	GAC Asp 330	ATA Ile	ACC Thr	GAT Asp	GTT Val	1011
GCT Ala 335	GGT Gly	CGA Arg	ACG Thr	GTT Val	AAG Lys 340	AAA Lys	AAC Asn	ATA Ile	GCA Ala	ACG Thr 345	TTG Leu	GGT Gly	CCG Pro	TTG Leu	ATT Ile 350	1059
CTT Leu	CCG Pro	TTA Leu	AGC Ser	GAG Glu 355	AAA Lys	CTT Leu	CTT Leu	TTT Phe	TTC Phe 360	GTT Val	ACC Thr	TTC Phe	ATG Met	GGC Gly 365	AAG Lys	1107
AAA Lys	CTT Leu	TTC Phe	AAA Lys 370	GAT Asp	AAA Lys	ATC Ile	AAA Lys	CAT His 375	TAC Tyr	TAC Tyr	GTC Val	CCG Pro	GAT Asp 380	TTC Phe	AAA Lys	1155
CTT Leu	GCT Ala	ATT Ile 385	GAC Asp	CAT His	TTT Phe	TGT Cys	ATA Ile 390	CAT His	GCC Ala	GGA Gly	GGC Gly	AGA Arg 395	GCC Ala	GTG Val	ATT Ile	1203
GAT Asp	GTG Val 400	CTA Leu	GAG Glu	AAG Lys	AAC Asn	CTA Leu 405	GCC Ala	CTA Leu	GCA Ala	CCG [°] Pro	ATC Ile 410	GAT Asp	GTA Val	GAG Glu	GCA Ala	1251
TCA Ser 415	AGA Arg	TCA Ser	ACG Thr	TTA Leu	CAT His 420	AGA Arg	TTT Phe	GGA Gly	AAC Asn	ACT Thr 425	TCA Ser	TCT Ser	AGC Ser	TCA Ser	ATA Ile 430	1299
TGG Trp	TAT Tyr	GAG Glu	TTG Leu	GCA Ala 435	TAC Tyr	ATA Ile	GAA Glu	GCA Ala	AAA Lys 440	GGA Gly	AGG Arg	ATG Met	AAG Lys	AAA Lys 445	GGT Gly	1347

										GGC Gly					1395
										GCT Ala		TAGO	GATC	C	1442
(2) (i)					SEQ CTER:			20:							
	(A) LE	NGTH	: 6	23 ba	ase j	pair	s							
	(B) TY:	PE:		nuc	leic	aci	ď							
	(C)) STI	RANDI	EDNES	SS:	si	ngle	2							
	(D)	TOI	POLO	GY:		1i	.near	7							
(i:	i) MO	OLEC	JLE 1	rype:	: (DNA	to r	nRNA							
(x:	i) SI	EQUEI	NCE I	DESCI	RIPTI	ON:	SEQ	ID 1	10:20) :					
										TCC Ser					48
										GCT Ala					96
										ACA Thr					144
										ATC Ile					192
										CTC Leu 75					240

		TCA Ser						288
		GGC Gly					CAA Gln	336
		AGA Arg						384
		GTT Val					AGA Arg	432
		GTT Val 150					GAG Glu 160	480
		CCT Pro						528
		ACA Thr						576
		AAC Asn						623

(2) INFORMATION FOR SEQ ID NO: 21:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 607 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA to mRNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21 :

			TAT Tyr					48
			GTT Val					96
			TAT Tyr 40					144
			GGA Gly					192
			GAT Asp					240
			AAA Lys					288
			CTT Leu					336
			ACT Thr 120					384
			GCT Ala					432
			AAT Asn					480

	AGG														Pro	528
	CCT Pro													Arg	GGA Gly	576
	ATT Ile									G						607
(2)	INF	ORMA!	rion	FOR	SEQ	ID I	NO: 2	22:								
(i) SE	QUEN	CE C	HARA	CTER	ISTIC	CS:									
	(A) LE	NGTH	: 6	22 ba	ase]	pair	s								
	(B) TY:	PE:		nuc	leic	aci	.đ								
	(C)) STI	RANDI	EDNES	SS:	si	.ngle)								
	(D)) TOI	POLO	GY:		1i	.near	:								
(i	i) MO	OLEC	JLE 7	TYPE	: (CDNA	to r	nRNA								
(x	i) SI	EQUEÎ	NCE I	DESCI	RIPT	ION:	SEQ	ID 1	NO:22	2:						
	CTT Leu															48
Cys	TTG Leu	Val	Pro	Leu	Met	Ala	Val	Leu	Val	Thr	Glu	Ile	Ser		TTA Leu	96
	ACA Thr															144
	GCT Ala 50															192

			TCT Ser					240
			CAG Gln				GAT Asp	288
			TTC Phe				CAG Gln	336
			GGT Gly 120				CCT Pro	384
			CCG Pro				CGT Arg	432
			TTT Phe				GAG Glu 160	480
			GAT Asp				TGT Cys	528
			TCG Ser				AAG Lys	576
			AAG Lys 200				G	622

(2) INFORMATION FOR SEQ ID NO: 23:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 625 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(xi)	SEQUENCE	DESCRIPTION:	SEQ	ID	NO:23	:
------	----------	--------------	-----	----	-------	---

(_, ~-	- <u>2</u>	.,,,,				~ - ×			•						
						CAC His										48
TTG Leu	TTG Leu	GTT Val	CCT Pro 20	TTA Leu	ATG Met	GCG Ala	GTT Val	CTG Leu 25	TTC Phe	ACG Thr	AAT Asn	GTC Val	TCC Ser 30	CGG Arg	TTA Leu	96
						CTC Leu										144
						TTC Phe 55										192
						CCT Pro										240
						AAT Asn										288
AAT Asn	CAT His	TCT Ser	AAA Lys 100	CTG Leu	ATT Ile	GAA Glu	GAT Asp	TTC Phe 105	GAC Asp	GAG Glu	TCG Ser	TCG Ser	CTT Leu 110	GAG Glu	TTC Phe	336
CAG Gln	CGG Arg	AAG Lys 115	ATC Ile	CTG Leu	AAG Lys	CGA Arg	TCC Ser 120	GGT Gly	CTC Leu	GGC Gly	GAA Glu	GAG Glu 125	ACT Thr	TAC Tyr	CTC Leu	384
CCG Pro	GAA Glu 130	TCT Ser	ATC Ile	CAC His	TGC Cys	ATC Ile 135	CCG Pro	CCG Pro	CGT Arg	CCG Pro	ACT Thr 140	ATG Met	GCG Ala	GCG Ala	GCG Ala	432
						GTA Val										480

	Asn															528
	AGC Ser															576
	TAT Tyr		Leu												ATG Met	G 625
	INF(24:								
(i		-	CE CI													
) LE.	NGTH	: 17			pai. aci									
	•	,	PE: RANDI	יםוארוים			ngle									
			POLO		55:		near.									
/ =	i) M				. ,		•									
(_	1) M	JUEC	JUE .	LIFE		DIVA	LO 1	IIKIVA								
(x	i) SI	EQUE	NCE I	DESCI	RIPTI	ON:	SEQ	ID 1	NO: 2	24:						
GTT	CATT	GAT :	TTGT'	PTGA(GA CI	rctgi	ΓTGC <i>¥</i>	A GAZ	AATC:	ГССА		et As			AA TC Lu Se 5	r
	AAT Asn															104
GGT Gly	TAT Tyr	CAC His	TAC Tyr 25	CTG Leu	ATT Ile	TCT Ser	CAC His	CTT Leu 30	TTT Phe	AAG Lys	CTC Leu	TTG Leu	TTG Leu 35	GTT Val	CCT Pro	152
	ATG Met															200

					AAT Asn 65			2	248
					ACA Thr			2	296
					TCA Ser			,	344
					ATG Met				392
					TTC Phe			4	440
					CTC Leu 145			4	488
					GCG Ala			ŗ	536
					TTC Phe			ţ	584
					AAC Asn			(532
					AAC Asn			6	580
					ATG Met 225			5	728

GGT GT Gly Va 230									776
AAC AC Asn Th									824
TAC TI									872
GTT GO Val Gl		Ser							920
CGA TC Arg Se 29	r Lys								968
GAT GA Asp Gl 310									1016
AAA AC Lys Th									1064
GCT CI Ala Le									1112
AGC GA Ser Gl									1160
AGT GC Ser Al 37	a Lys								1208
GCC TT Ala Ph 390									1256

														GCT Ala 420		1304
														ATT Ile	TGG Trp	1352
														GGG Gly		1400
														AGC Ser	GCG Ala	1448
														CCT Pro		1496
											GAT Asp		TGA!	PTTC#	AGC	1545
TTAZ	ACCGG	STA A	CTAAL	rggto	CT GT	racai	CATAT	TTI	ACCAC	CTGA	GTAA	AAGA	CAT (CAGTT	TAATGA	1605
TTTC	TTGT	TA (CTCAA	ATTGO	G CI	raagi	rgta:	TAT	TATA	ATGT	GTTC	TAT	ATA A	ATAAZ	AGGTAG	1665
AACG	TAAA	ATT T	TACTA	AAGAZ	AA AA	AAAA	AAAA	A AAA	AAAA	ΔÂΑ						1.704

- (2) INFORMATION FOR SEQ ID NO: 25:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1664 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA to mRNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

					Leu		GTC :	Ile '		47
									GGA Gly	95
							TAT Tyr 45			143
							TTC Phe			191
							GTT Val			239
							GCT Ala			287
							GAT Asp			335
CGA Arg							TTG Leu 125			383
ATT Ile							CCC Pro			431
CTG Leu										479

GAG Glu							AAC Asn 175	527
GTT Val								575
AAT Asn								623
CGA Arg								671
GGT Gly 225								719
AAC Asn								767
TAT Tyr								815
GTC Val								863
CGG Arg								911
GAC Asp 305								949
AAA Lys								1007

			ATA Ile								1055
			TTT Phe								1103
			CAC His								1151
			CAT His 390								1199
			CTA Leu								1247
			GGG Gly								1295
			CCA Pro								1343
			GGG Gly								1391
			GTC Val 470								1439
			CCG Pro								1487
			AAC Asn		TAAT	PATT	GT A	ATCTO	CAAAC	.'G	1537

ATGTTGTCCA CTTTCTCTTT TTTTTTTCT TTTTTTAGTT ATAATTAAT GGTTACGATG 1597

TTTTGTCTAG GTCGTTATAA ATAAAGAATA CATGGGTGTT ACTAGTATAA AAAAAAAAA 1657

AAAAAAA 1664

(2) INFORMATION FOR SEQ ID NO: 26:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1732 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

CTT	rctt(CTT (CCCC	AACA	ACC Thr						GCA Ala	51
			_	GTT Val								99
				AAT Asn								147
		TAC		TAC Tyr		TCC			ATC			195
				GGC Gly								243
				CTC Leu 80								291

CTC Leu								339
CGT Arg								387
CCT Pro 125								435
GTA Val								483
GAA Glu								531
CGT Arg								579
ACT Thr								627
AAA Lys 205								675
CCG Pro								723
GGA Gly								771
CTT Leu								819

							AGC Ser 275									867
		Gly					ATG Met								CGT Arg	915
							CTC Leu									963
							CAC His									1011
AAC Asn	GAC Asp	AAC Asn	GCA Ala 335	TTT Phe	GGC Gly	TGC Cys	GTT Val	TAC Tyr 340	CAA Gln	CGA Arg	GAA Glu	GAC Asp	AAC Asn 345	AAC Asn	GAA Glu	1059
GAA Glu	GAA Glu	ACC Thr 350	GCC Ala	AAA Lys	ATC Ile	GGA Gly	GTC Val 355	TCA Ser	CTC Leu	TCT Ser	AAA Lys	AAC Asn 360	CTA Leu	ATG Met	GCA Ala	1107
							ACA Thr								CTA Leu	1155
							ATT Ile									1203
CGA Arg	AAA Lys	ATC Ile	TTC Phe	AAA Lys 400	GTC Val	AAG Lys	AAA Lys	ATA Ile	AAG Lys 405	CCT Pro	TAC Tyr	ATA Ile	CCC Pro	GAT Asp 410	TTC Phe	1251
AAG Lys	CTA Leu	GCT Ala	TTC Phe 415	GAG Glu	CAT His	TTC Phe	TGC Cys	ATC Ile 420	CAT His	GCG Ala	GGA Gly	GGT Gly	AGA Arg 425	GCA Ala	GTG Val	1299
							TTG Leu 435									1347

Pro	Ser 445	AGG Arg	ATG Met	ACT Thr	TTA Leu	AAC Asn 450	CGG Arg	TTT Phe	GGT Gly	AAT Asn	ACT Thr 455	TCG Ser	AGT Ser	AGC Ser	TCA Ser	1395
CTT Leu 460	TGG Trp	TAT Tyr	GAA Glu	CTT Leu	GCG Ala 465	TAT Tyr	AGT Ser	GAA Glu	GCT Ala	AAA Lys 470	GGG Gly	AGG Arg	ATT Ile	AAG Lys	AGA Arg 475	1443
GGA Gly	GAT Asp	AGG Arg	ACT Thr	TGC Cys 480	CAA Gln	ATT Ile	GCG Ala	TTT Phe	GGA Gly 485	TCG Ser	GGA Gly	TTT Phe	AAG Lys	TGT Cys 490	AAT Asn	1491
AGT Ser	GCG Ala	GTT Val	TGG Trp 495	AAA Lys	GCT Ala	TTG Leu	AGA Arg	ACC Thr 500	ATT Ile	GAT Asp	CCT Pro	ATT Ile	GAT Asp 505	GAG Glu	AAG Lys	1539
AAG Lys	AAT Asn	CCA Pro 510	TGG Trp	AGT Ser	GAT Asp	GAG Glu	ATT Ile 515	CAT His	GAG Glu	TTT Phe	CCA Pro	GTT Val 520	TCT Ser	GTT Val	CCT Pro	1587
AGG Arg	ATC Ile 525	ACT Thr	CCA Pro	GTT Val	ACT Thr	TCT Ser	AAC Asn 530	TAGT	GTTT	TTT	TTTT	GGGT	C CA	ACTA	\GGGA	1641
TAAT	TTTA	GT I	ATGO	TTTT	G TT	CTTA	CGTA	CGI	ACTT	TAA	GTGA	TTTA	GT C	AAAT:	AATAA	1701
ATTG	GTTT	CA T	'AAAA	AAAA	A AA	AAAA	AAAA	A								1732

- (2) INFORMATION FOR SEQ ID NO: 27:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 622 base pairs
 - (B) TYPE:

nucleic acid

(C) STRANDEDNESS:

single

(D) TOPOLOGY:

linear

(ii) MOLECULE TYPE: cDNA to mRNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27 :

			CAT His					48
			GCA Ala					96
			CAT His					144
			TCG Ser 55					192
			ACG Thr					240
			CGT Arg					288
			AAT Asn					336
			TCT Ser					384
			CCG Pro 135					432
			ATG Met					480

AAA ACC GGG GTT AAA CCT AAG GAT ATC GGT ATT CTT GTG GTG AAT TGC 528 Lys Thr Gly Val Lys Pro Lys Asp Ile Gly Ile Leu Val Val Asn Cys 165 170 175

AGC TTG TTC AAT CCG ACG CCG TCT CTG TCC GCA ATG GTG GTT AAT CGG 576 Ser Leu Phe Asn Pro Thr Pro Ser Leu Ser Ala Met Val Val Asn Arg 180 185 190

TAC AAG CTT AGA GGG AAT ATC ATA AGT TAT AAC CTT GGC GGG ATG G

Tyr Lys Leu Arg Gly Asn Ile Ile Ser Tyr Asn Leu Gly Gly Met

195 200 205

- (2) INFORMATION FOR SEQ ID NO: 28:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 6 residues
 - (B) TYPE: amino acids
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:
 Asn Ile Thr Thr Leu Gly
 5
- (2) INFORMATION FOR SEQ ID NO: 29:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 6 residues
 - (B) TYPE: amino acids
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:29 : Ser Asn Cys Lys Phe Gly

(2) INFORMATION FOR SEQ ID NO: 30:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 42 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: other	
(A) synthetic oligonucleotide	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:	
CAUCAUCAUC AUGTCGACAA AATGACGTCC ATTAACGTAA AG	42
(2) INFORMATION FOR SEQ ID NO: 31:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 50 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: other	
(A) synthetic oligonucleotide	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 31:	
CUACUACUAC UAGTCGACGG ATCCTATTTG GAAGCTTTGA CATTGTTTAG	50
(2) INFORMATION FOR SEQ ID NO: 32:	
(i) SEQUENCE CHARACTERISTICS:	

(A) LENGTH: 6 residues

(B) TYPE: amino acids

- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (ix) FEATURE: Xaa at position 3 = Leu or Gly
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 32:

 Lys Leu Xaa Tyr His Tyr

 5
- (2) INFORMATION FOR SEQ ID NO: 33:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 41 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: other
 - (A) synthetic oligonucleotide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 33 : CAUCAUCAUC AUGAATTCAA GCTTAARYTN BKNTAYCAYT A
- (2) INFORMATION FOR SEQ ID NO: 34:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 7 residues
 - (B) TYPE: amino acids
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 34:
 Asn Leu Gly Gly Met Gly Cys

41

41
40

- •
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 37:
- Gly Phe Lys Cys Asn Ser
- (2) INFORMATION FOR SEQ ID NO: 38:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 41 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: other
 - (A) synthetic oligonucleotide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 38: CUACUACUAC UAGGATCCGT CGACSWRTTR CAYTTRAANC C
- (2) INFORMATION FOR SEQ ID NO: 39:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 29 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: other
 - (A) synthetic oligonucleotide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 39 : CUACUACUAC UASWRTTRCA YTTRAANCC

29

41